JET PROPULSION LABORATORY

NOTIFICATION OF CLEARANCE

03/17/04

TO:

M. Vallisneri

FROM:

Logistics and Technical Information Division

SUBJECT:

Notification of Clearance - CL#04-0821

The following title has been cleared by the Document Review Services, Section 274, for public release, presentation, and/or printing in the open literature:

Synthetic LISA: Simulating Time-Delay Interferometry in a Model LISA

This clearance is issued for the full paper and is valid for U.S. and foreign release.

Please add the NASA logo to you presentation.

Clearance issued by

Adrian Segura

Document Review Services

Section 274

AUTHORIZATION FOR THE EXTERNAL RELEASE OF INFORMATION Submit web-site URL or two copies of document with this form to Document Review, 111-120, or email them to docrev@jpl.nasa.gov.

-	•	VO. C	\sim	· U	\overline{c}	
		/for	npe		onte)	

LEAD JPL AUTHOR Michele Vallisneri	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		MAIL STOP 169-327		EXTENSION 3-7634		
Approval is required for all JPL scientific and technical information intended for unrestricted external release via print or electronic media. See explanations on page 3 of this form and the Distribute Knowledge documents available through http://dmie.						☐ Original☐ Modified	
I. DOCUMENT AND PROJECT	r identific <i>i</i>	ATION – To be complet	ed by Author/Origi	nator		Modified	
ABSTRACT (for publication)		WEB SITE			RAL PRESEN	TATION	
FULL PAPER (including poster, video, CD-ROM)	_	OTHER			Abstract 2		
TITLE	HER AUTHOR						
Synthetic LISA: Simulating Time-Delay John			☐ Premeeting publication				
Interferometry in a Model LISA				☐ Publication on meeting day			
			,		Postmeeting publication		
				☐ Po	oster session		
KEY WORDS FOR INDEXING (Separate items with commas) LISA, gravitational waves, data analysis			☐ Handouts				
THIS WORK:		LEAD JPL AUTHOR'S	SIGNATURE			DATE	
Describes technology reported in		LEAD JPL AUTHOR'S SIGNATURE DATE 3/15/2004				115/2004	
New Technology Report (NTR) No.		SECTION OR PROJE				DATE	
Provides more information for NTR No(s).		I attest to the quality of including its accuracy,					
Describes only science results, data, or theoretical discuss	sions	audience sultability, cl					
Publications that describe technology (including software) require							
prior to clearance. For assistance, contact the Strategic Intellection Management Office, ext. 3-3421.	ual Assets	100111/02 3/11/x1				11.1 x12	
ORIGINATING ORGANIZATION NUMBER (Section, Project, or Ele	ment)	PERFORMING ORGA	ANIZATION (If differe	nt)		909	
3265	,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,			
ACCOUNT CODE OR TASK ORDER (For tracking purposes only)	D	OCUMENT NUMBER(S), RELEASE	DATE	RECEIVED	DATE DUE	
102177 1.4.1.1		DATE(S)					
For presentations, documents, or other scientific/technical i						iter	
informationsuch as name, place, and date of conference; periodical or journal name; or book title and publisherin the area below.							
Web Site: Preclearance URL (JPL internal) http://mac03077092228.jpl.nasa.gov/~vallis/gwdaw2003.pdf							
Postclearance URL (external) http://www.lsc-group.phys.uwm.edu/gwdaw8/ (under "transparencies")							
☐ Brochure/Newsletter ☐ JPL Publication	Section	n 274 Editor (<i>If applicabl</i> e	9)	-			
☐ Journal Name ☐ Sth Gravitational Wave Data Analysis Work	rahan						
Mileeting Title of Gravitational wave Data Analysis Work	reuch						
Meeting Date Dec 17-20 2003 Location	n University	of Wisconsin, Milwauke	e				
Sponsoring Society							
	ate Venture	Publisher					
If your document will not be part of a journal, meeting, or bo	ok publicati	on (including a web-ba	sed publication), ca	an we µ	ost the clear	ed, final	
version on the JPL worldwide Technical Report Server (TRS)) and send it	t to the NASA Center fo	r Aerospace Inform				
(For more information on TRS/CASI, see http://techreports.jpl.nasa.gov and http://www.sti.nasa.gov.) If your document will be published, the published version will be posted on the TRS and sent to CASI.							
		URITY CLASSIFICATION					
CHECK ONE (One of the five boxes denoting Security Classification)	ation must be						
☐ SECRET ☐ SECRET RD ☐ CONFIDENTIAL ☐ CONFIDENTIAL RD ☐ UNCLASSIFIED							
III. AVAILABILITY CATEGORY – To be completed by Document Review							
NASA EXPORT-CONTROLLED PROGRAM STI Export-Controlled Document – U.S. Munitions List (USML Category) or							
☐ International Traffic in Arms Regulations (ITAR)							
		NDDITIONAL INFORMAT	ION				
CONFIDENTAL COMMERCIAL STI (Check appropriate box below and indicate the distribution limitation if applicable.)							
☐ TRADE SECRET ☐ Limited until (date)	U.S. Government age						
☐ SBIR ☐ Limited until (date)	NASA contractors and U.S. Government only U.S. Government						
COPYRIGHTED Limited until (date)	NASA personnel and NASA contractors only agencies only Available only with the approval of issuing office NASA personnel only						
COPYRIGHT Publicly available	Available only with the	approval of issuing	опісе	☐ NASA per	sonnei only		
TRANSFERRED TO: (but subject to copying restriction	ns)						

	III. AVA	ILABILITY CA	TEGORY (cont.) -	To be completed by Docume	nt Review	
□ PUBLICLY AVAILABLE STI	Publicly available m has cleared any app	eans it is unlim licable patent	nited and unclassification.	ed, is not export-controlled, does	s not contain confidential c	ommercial data, and
	IV. DOCUMEN	NT DISCLOSI	NG AN INVENTION	l (For SIAMO Use Only) ROUT	TED ON	
If STI discloses an i		IMENTS				
THIS DOCUMENT MAY I (date)	BE RELEASED ON	STRATEG	IC INTELLECTUAL	ASSETS MANAGEMENT OFF	FICE (SIAMO) SIGNATURE	DATE
	V. BLA	NKET AVAIL	ABILITY AUTHOR	IZATION (Optional)		
	ed under the following pility authorization is g			ay be processed as checked in Check one: Contract		er
is RESCINDED		must have inc	•	authorizations. stem under the blanket release s	should be changed to confo	orm to blocks as
SIGNATURE					MAIL STOP	DATE
	VI. PROJECT	OFFICER/TEG	CHNICAL MONITO	R/DIVISION CHIEF REVIEW O	F I THROUGH V	
□NAME OF PROJECT □MAIL STOP □SIGNATURE□I		I. MONITOR				
□□ Public release is ap	proved	☐ Public role		CONTROL REVIEW/CONFIRMA due to export control	ATION ROUTED Coort-controlled limitation is	The state of the s
Export-controlled lin	nitation is approved	☐ Export-co	ntrolled limitation (I	TAR/EAR marked in Section III	is assigned to this docume	
USML CATEGORY NUMBER (ITAR)	CCL NUMBEI NUMBER (EA		JPL EXPORT CO	ONTROL ADMIN. REPRESENT	ATIVE SIGNATURE	DATE
COMMENTS						
LAUNCH APPROV			VIII. OTHER AF	PPROVALS COMMENTS	ROUTED ON	
☐ OFFICE OF COMM☐ GENERAL COUNS	UNICATIONS AND E	EDUCATION				
Budgetary/Cost						
☐ Vendor Data						
Copyrights Other						
OTHER				SIGNATURE		DATE
	IX. FINAL	VERIFICATIO	N, APPROVAL, AI	ND DISPOSITION BY DOCUME	ENT REVIEW	
I have determined the	·			Does NOT contain ITAR/	/export-controlled, confiden	tial commorcial
,	Rexport-controlled, co discloses an inventio d in Sections III and/o	n and the appr			fisclose an invention and m	
USML CATEGORY NUMBER (ITAR)	120	·. V)		CCL NUMBER, ECCN NUMBER (EAR)		
Public release is appr	roved for U.S. and for	eign distributio	on	Public release is not appro	ved	
COMMENTS						
	<u> </u>					
SIGNATURE	20				MAIL STOP (11-207	3/17/04
Obtained published v	version	1//		☐ Obtained final JPL version	Date	

Synthetic LISA

simulating time-delay interferometry in a model LISA

(presenting) Michele Vallisneri (in absentia) John W. Armstrong LISA Science Office, Jet Propulsion Laboratory 12/17/2003





Why Synthetic LISA?

- Simulate LISA fundamental noises at the level of science/technical requirements
 - Higher level than extended modeling (no spacecraft subsystems)
 - Lower level than data analysis tools (do time-domain simulation of TDI; include removal of laser frequency fluctuations)
- Provide streamlined module to filter GWs through TDI responses, for use in developing data-analysis algorithms
 - Include full model of TDI
 (motion of the LISA array, time- and direction-dependent armlengths, causal Doppler observables, 2nd-generation TDI observables)
 - Use directly or to validate (semi)analytic approximations
- Make it friendly and fun to use

GW sources

for plane waves, work from \mathbf{k} , $\mathbf{h}_{+}(t)$, $\mathbf{h}_{x}(t)$ at SSB

LISA noises

laser freq. fluctuations, (optical bench), proof mass, optical path

LISA geometry

spacecraft positions

- → photon propagation
- → armlengths

Doppler y_{ij} — inter-spacecraft relative frequency fluctuations

Doppler z_{ij}
intra-spacecraft relative
frequency fluctuations

→ TDI øbservables

time-delayed combinations of y_{ij} and z_{ij}

laser-noise and opticalbench-noise free

3 independent observables

$$X = y_{32,322} - y_{23,233} + y_{31,22} - y_{21,33} + y_{23,2} - y_{32,3} + y_{21} - y_{31}$$
$$-\frac{1}{2}(-z_{21,2233} + z_{21,33} + z_{21,22} - z_{21})$$
$$-\frac{1}{2}(+z_{31,2233} - z_{31,33} - z_{31,22} + z_{31})$$

LISA THIS

de desputacións de la deligión deligión de la deligión deligión deligión de la deligión deligión de la deligión de

Doppler yii

inter-spacecraft relative frequency fluctuations

Doppler z_{ij}

intra-spacecraft relative frequency fluctuations

→ TDI observables

time-delayed combinations of y_{ij} and z_{ij}

laser-noise and opticalbench-noise free

3 independent observables

$$\alpha = y_{21} - y_{31} + y_{13,2} - y_{12,3} + y_{32,12} - y_{23,13}$$

$$-\frac{1}{2}(z_{13,2} + z_{13,13} + z_{21} - z_{21,123} + z_{32,3} + z_{32,12})$$

$$+\frac{1}{2}(z_{23,2} + z_{23,13} + z_{31} - z_{31,123} + z_{12,3} + z_{12,12})$$

GW sources

for plane waves, work from \mathbf{k} , $h_{+}(t)$, $h_{x}(t)$ at SSB

自然在自然的。

Harris Hall to the the

Doppler shift due to GWs (Wahlquist-Estabrook response) measured for reception at spacecraft r and emission at spacecraft s (laser travels along arm l)

▲Doppler y_{ii} inter-spacecraft relative frequency fluctuations

Doppler z_{ii}

intra-spacecraft relative frequency fluctuations

photon propagation vector GW TT tensor

$$\Psi_l(t) = \frac{\hat{n}_l \cdot \mathbf{h}(t) \cdot \hat{n}_l}{2[1 - (\hat{k} \cdot \hat{n}_l)^2]}$$

geom. projection factor

GW buffeting of spacecraft GW buffeting of spacecraft s at emission (t-L₁)

r at reception (t)

geom. projection factor \ wavefront retard.; p; are spacecraft pos.

$$y_{lr}^{\text{gw}}(t) = y_{(s)lr}(t) = \left[1 + \epsilon_{slr}\hat{k} \cdot \hat{n}_l\right] \left(\Psi_l(t - \hat{k} \cdot \vec{p}_s - L_l) - \Psi_l(t - \hat{k} \cdot \vec{p}_r)\right)$$

Doppler shift measured for reception at spacecraft 1 and emission at spacecraft 3 (laser travels along arm 2)

fluctuations of laser 3 at emission (t - L_2) fluctuations of laser 1* (reference) at reception (t) $y_{21} = C_{3,2} + 2pm_1^* - C_1^* + y_{21}^{\rm opt\ path}$ proof-mass 1* noise shot noise at sc 1

LISA noises


laser freq. fluctuations, (optical bench), proof mass, optical path

▼ Doppler y_{ij} inter-spacecraft relative frequency fluctuations

→ Doppler Z_{ij}
intra-spacecraft relative
frequency fluctuations

Doppler shift measured between optical benches on spacecraft 1

proof-mass 1 noise
$$z_{21} = C_1 + 2pm_1 - C_1^*$$
 fluctuations of lasers 1 and 1*



Motion complicates GW signals (1):

- by changing orientation of LISA plane (power spread through ~9 bins)
- by Doppler-shifting incoming GW signals (due to relative motion, dominates for $f>10^{-3}$ Hz; bandwidth $\sim (\Omega R/c)f$)

Motion improves sensitivity to GW (1):

- to source position and polarization
- makes it homogeneous in the sky

Motion hinders noise suppression (1,2,3):


- need accurate knowledge of armlengths
- high-order time delays needed

LISA geometry

spacecraft positions

- → photon propagation
- → armlengths

- 1. One Solar orbit/yr; LISA triangle spins through 360°/orbit
- 2. Armlengths deviate from equilateral triangle at ~2%
- 3. Armlengths are time and direction dependent



Implements the LISA block structure as a collection of C++ classes

Class LISA

Defines the LISA time-evolving geometry (positions of spacecraft, armlengths)

OriginalLISA: static configuration with fixed (arbitrary) armlengths

ModifiedLISA: stationary configuration, rotating with T=1yr; different cw and ccw armlengths

CircularRotating: spacecraft on circular, inclined orbits; cw/ccw, time-evolving, causal armlengths

EccentricInclined: spacecraft on eccentric, inclined orbits; cw/ccw, time-evolving, causal armlengths

NoisyLISA (use with any **LISA**): adds white noise to armlengths used for TDI delays

Class Wave

Defines the position and time evolution of a GW source

SimpleBinary: GW from a physical monochromatic binary

SimpleMonochromatic: simpler parametrization

InterpolateMemory: interpolate user-provided

buffers for h₊, h_x

...

Class **TDI**(LISA, Wave)

Return time series of noise and GW TDI observables (builds causal y_{ij}'s; includes 1st-and 2nd-generation observables)

TDInoise: demonstrates laser-noise subtraction

TDIsignal: causal, validated vs. LISA Simulator

TDIfast: cached for multiple sources (Edlund)

...things to do with it right now!

Class LISA

Defines the LISA time-evolving geometry (positions of spacecraft, armlengths)

OriginalLISA: static configuration with fixed (arbitrary) armlengths

ModifiedLISA: stationary configuration,

rotating with T=1yr; diffe armlengths

inclined orbits; cw/ccv/, ume-evorying, causal armlengths

EccentricInclined: spacecraft on eccentric, inclined orbits; cw/ccw, time-evolving, causal armlengths

NoisyLISA (use with any LISA): adds white noise to armlengths used for TDI delays

Class Wave

Defines the position and time evolution of a GW source

SimpleBinary: GW from a physical monechromatic binary

SimpleMonochromatic: simpler parametrization

InternalateMomory: interpolate user-provided

Check the sensitivity of Circular Rotating: space alternate LISA configurations

Class **TDI**(LISA, Wave)

Return time series of noise and GW TDI observables (builds causal y_{ii}'s; includes 1stand 2nd-generation observables)

TDInoise: demonstrates laser-noise subtraction

TDIsignal: causal, validated vs. LISA Simulator

TDIfast: cached for multiple sources (Edlund)

...things to do with it right now!

Class LISA

Defines the LISA time-evolving geometry (positions of spacecraft, armlengths)

OriginalLISA: static configuration with fixed (arbitrary) armlengths

ModifiedLISA: stationary configuration, rotating with T=1yr; different cw and ccw armlengths

CircularRotating spacecraft on circular, inclined orbits; cw/ccw, time-evolving, causal armlengths

EccentricInclined: spacecraft on eccentric, inclined orbits; cw/ccw, time-evolving, causal armlengths

NoisyLISA (use with any **LISA**): adds white noise to armlengths used for TDI delays

Demonstrate laser-noise sub.:

- 1st-generation TDI
- modified TDI
- 2nd-generation TDI
- degradation of subtraction for imperfect knowledge of arms
- with armlocking

Class TDI(LISA, Wave)

Return time series of noise and GW TDI observables (builds causal y_{ii}'s; includes 1st-and 2nd-generation observables)

TDInoise: demonstrates laser-noise subtraction

TDIsignal: causal, validated vs. LISA Simulator

TDIfast: cached for multiple sources (Edlund)

•••

าก

...things to do with it right now!

Class LISA

Produce synthetic time

series to test data-analysis

(ar algorithms

ModifiedLISA: stationary configuration, rotating with T=1yr; different cw and ccw armlengths

CircularRotating: spacecraft on circular, inclined orbits; cw/ccw, time-evolving, causal armlengths

EccentricInclined: spacecraft on eccentric, inclined erbits, cw/ccw, time-evolving, causal armlengths

NoisyLISA (use with any **LISA**): adds white noise to armlengths used for TDI delays

•••

Class Wave

Defines the position and time evolution of a GW source

SimpleBinary: GW from a physical monochromatic binary

Simple Monochromatic: simpler parametrization

InterpolateMemory: interpolate user-provided buffers for h₊, h_x

Class TDI(LISA, Wave)

Return time series of noise and GW TDI observables (builds causal y_{ij}'s; includes 1st-and 2nd-generation observables)

TDInoise: demonstrates laser-noise subtraction

TDIsignal: causal, validated vs. LISA Simulator


TDIfast: cached for multiple sources (Edlund)

Using Synthetic LISA

The preferred interface to Synthetic LISA is through a simple script in the language Python.


```
This is a Python script!
                               Import the Synthetic LISA library
                               (lisaswig.py, _lisaswig.so) so we can use it
      #!/usr/bin/python
                                  Create a LISA (geometry) object;
                                  use static LISA, with unequal arms
     unequalarmlisa = lisaswig.OriginalLISA(15.0,16.0,17.0);
                                                                               Armlengths (s)
              Create a TDI object based on our chosen LISA
                                                                          Laser correlation (s)
     unequalarmnoise = lisaswig.TDInoise(unequalarmlisa,
                           1.0,2.5e-48,1.0,1.8e-37,1.0,1.1e-26,1.0);
Noise sampling time (s) –
                     Proof mass \dot{S_n} \times f^2 (Hz<sup>-1</sup>) Opt. path \dot{S_n} \times f^2 (Hz<sup>-1</sup>) Laser \dot{S_n} (Hz<sup>-1</sup>)
      lisaswig.printtdi("noise-X.txt", unequalarmnoise, 1048576, 1.0, "X");
                                                                                        TDI variables
                   Print X TDI noise to disk!
                                                                 # samples requested,
                                                                                           to print
                                                   File name
                                                                    sampling time
```






```
lisaswig.printtdi("noise-a.txt",unequalarmnoise,1048576,1.0,"a");
lisaswig.printtdi("noise-z.txt",unequalarmnoise,1048576,1.0,"z");
lisaswig.printtdi("noise-E.txt",unequalarmnoise,1048576,1.0,"E");
```


Example: noisyLISA subtraction




Example: monochromatic binary



Comparison with LISA Simulator



Case study: S/Ns for extreme-mass ratio inspirals



Summary!

- Synthetic LISA is the package I would have wanted to download and use, had I not written it
- Synthetic LISA simulates LISA fundamental noises and GW response at the level of science/technical requirements
- Synthetic LISA includes a full model of the LISA science process (2nd-generation TDI, laser-noise subtraction)
- Synthetic LISA's modular design allows easy interfacing to extended modeling and data-analysis applications
- *Synthetic LISA* is user-friendly and extensible (C++, Python, other scripting languages)
- Synthetic LISA is planned for open-source release in Jan/Feb (NASA permitting)

Synthetic LISA

simulating time-delay interferometry in a model LISA

Michele Vallisneri
Jet Propulsion Laboratory
12/17/2003



